



Embedded Core i5 NUC System



Hawk Series


Specification:

■ Dimension (W*D*H)	■ 110(D) * 116(W) * 49(H) mm
■ Construction	■ Lightweight aluminum alloy with extruded aluminum IO panel
■ Product model	■ HBJC312U92-4300UB / HBJC312U92W-4300UB ■ HBJC312U92-5200UB / HBJC312U92W-5200UB
■ MB model	■ JNU92-4300U (101 * 101 mm) ■ JNU92-5200U (101 * 101 mm)
■ CPU	■ Intel® Haswell Refresh Core i5 – 4300U SoC Processor ■ Intel® Broadwell Refresh Core i5 – 5200U SoC Processor
■ BIOS	■ AMI UEFI
■ Memory	■ 2 * DDR3L 1600MHz SO-DIMM slot (Max to 16GB)
■ Storage Space	■ 1 * full size Mini PCI-E slot for mSATA Device
■ Display Interface	■ 2 * HDMI
■ Network	■ 1 * Intel i218LM GbE ■ WiFi (JBC312U92W-4300UB & JBC312U92W-5200UB only)
■ Audio	■ 1 * Line out
■ Front I/O Port	■ 1 * USB 3.0 ■ 1 * COM ■ 1 * Power button
■ Rear I/O Port	■ 2 * USB 3.0 ■ 2 * HDMI ■ 1 * GbE ■ 1 * Line-out ■ 1 * DC-in jack
■ Expansion Slot	■ 1 * half size Mini PCI-E slot
■ Power Source	■ Supports 9~24V Wide range DC input ■ Provides AC_90~240V / DC_12V 40W adapter
■ Certification	■ EMC : CE , FCC ■ Safety : RoHS , ErP


<ul style="list-style-type: none"> ■ Environment 	<ul style="list-style-type: none"> ■ Operating Temperature : 0°C~50°C with air flow (mSATA) ■ Storage Temperature : -10°C~70°C
<ul style="list-style-type: none"> ■ Mounting Bracket 	<ul style="list-style-type: none"> ■ Wall/VESA/DIN Rail combo mounting Kit
<ul style="list-style-type: none"> ■ Packing 	<ul style="list-style-type: none"> ■ Net Weight : 1.4KG ■ Gross Weight : 1.8KG ■ Color Box Dimension : 158(W) x 167(D) x 123.6(H) mm
<ul style="list-style-type: none"> ■ Warranty 	<ul style="list-style-type: none"> ■ 2 Year limited warranty

External I/O :

Rear



Front



Packing List :

Parts Number	Description
-----	HBJC312U92(W)-4300UB / HBJC312U92(W)-5200UB
HLMAP-FSP040-F	Adapter 12V/3.33A 40W
Change according to shipping area	Power cord
HCS310MWM01B-2F	VESA mount
LCSCHBJC3XX-F	Screw Pack
HCS3XXDINRAILPS-F	Din Rail Clip