



Fanless Embedded System With POE




## Specifications:

■ <b>Product Dimension</b>	■ 264 (W) * 199.4 (D) * 38 (H) mm
■ <b>Product Model</b>	■ JBC512F532(W)-2930-B
■ <b>MB Model &amp; Size</b>	■ NF532P-2930 / 3.5" SBC
■ <b>BIOS</b>	■ AMI UEFI
■ <b>CPU</b>	■ INTEL® Bay Trail-M 2930 SoC Processor
■ <b>Memory</b>	■ Single Channel DDR3L 1333MHz SDRAM up to 4GB
■ <b>Storage Space</b>	■ 2.5" SATA Device * 1
■ <b>Colors</b>	■ Black
■ <b>Front I/O Port</b>	<ul style="list-style-type: none"> <li>■ 4 PIN AC Input * 1</li> <li>■ AC ON-OFF * 1</li> <li>■ Power LED * 1</li> <li>■ Power SW * 1</li> <li>■ USB 2.0 * 2</li> </ul>
■ <b>Rear I/O Port</b>	<ul style="list-style-type: none"> <li>■ USB3.0 * 1 , USB2.0 * 3</li> <li>■ DVI-I * 1</li> <li>■ Giga LAN Port * 2</li> <li>■ Audio * 1 (Line out)</li> <li>■ WiFi Port * 2 (JBC512F532W-2930-B only)</li> </ul>
■ <b>POE Port</b>	<ul style="list-style-type: none"> <li>■ 100M LAN Port * 4 (DC52.5V-1.94A-102W)</li> <li>■ Conforms to IEEE802.3, IEEE 802.3u, IEEE802.3af, IEEE802.3at</li> <li>■ IEEE802.3x Flow control</li> <li>■ Provides 4 PoE injector, per port DC52.5V-0.48A-25W</li> <li>■ For Switch : IP178G</li> <li>■ For PoE : MAX5980</li> </ul>

<ul style="list-style-type: none"> <li>■ <b>Power Source</b></li> </ul>	<ul style="list-style-type: none"> <li>■ 150W AC-DC OP Power inside</li> <li>■ AC 90~240V input</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>Accessory</b></li> </ul>	<ul style="list-style-type: none"> <li>■ AC Cable * 1</li> <li>■ 4 Pin Terminal block con * 1</li> <li>■ User Manual * 1</li> <li>■ CD * 1</li> <li>■ Screw Package * 1</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>Packing</b></li> </ul>	<ul style="list-style-type: none"> <li>■ Net Weight : 3.6KG</li> <li>■ Gross Weight : 4.5KG</li> <li>■ Color Box Dimension : 406 (W) x 148 (D) x 359 (H) mm</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>Temperature</b></li> </ul>	<ul style="list-style-type: none"> <li>■ Operating within 0~50 centigrade</li> <li>■ Storage within -10~70 centigrade</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>Certification</b></li> </ul>	<ul style="list-style-type: none"> <li>■ EMC : CE , FCC</li> <li>■ Safety : RoHS , ErP</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>Applications</b></li> </ul>	<ul style="list-style-type: none"> <li>■ Industrial Control System</li> <li>■ Networking Server System</li> <li>■ Security Industry</li> </ul>

**External I/O :**

**Front**



**Rear**

